

HH S 2x2

Standard Features:

- Several standard configurations available
- Customized to application
- Toggle and membrane switches
- Status LED's for operation and low battery
- STOP Button
- Supports Multi Frequencies, including 2.4 GHz

Typical Applications:

- Chain Hoists
- Small Overhead Cranes
- Conveyor Systems
- Tow Trucks
- Monorails
- Tailgates
- Concrete Mixers



HH S 2x2 Specifications:			
Housing material:	Ergonomically designed impact resistant polymer composite	RF Unit:	Type CS synthesized
Environmental protection:	IP 65 at 0 - 97% humidity non-condensing	Power (RF Output):	< 10mW
Weight:	340Gr (0.75lbs) includes batteries	Antenna:	Internal
Dimensions:	H: 205mm (8.0") W: 89mm (3.5") D: 86mm (3.4")	Baud Rate:	2400, 4800 bps
		Power Supply:	2 AA batteries (1.5V)
Operation time:	Up to 20 h continuous transmission	Control Configuration:	2 Double detent momentary on/off membrane push buttons 1 Push/Turn to release stop switch
Temperature Range:	-20°C to +70°C (-4°F to +158°F)		Frequency Bands:
Safety:	20-bit programmable address concept with up to 1 million combinations; Active and passive Stop function; Parity & Checksum	Typical operating range:	Approximately 100m (328ft.)
		Includes:	1 Battery adaptor

ABOUT HETRONIC:

Since 1982 Hetronic Inc. has manufactured and delivered over 500,000 radio remote control systems to customers around the world. We are recognized leaders in providing the safest, most reliable industrial Safety Radio Remote Control (RRC) user interface solutions for process and equipment control applications. Every Hetronic system is designed and configured to customer specific application needs for safety, performance, reliability and productivity. With a global network of service locations in over 50 countries operators can count on Hetronic to be there when they need local and immediate service and support. Hetronic is committed to deliver turnkey radio remote control solutions that not only meet the highest standards for RF communication, but that also provide you with the newest technology and highest possible value to get the job done efficiently and safely in the harshest of environments.

Contact a Hetronic expert and learn more at www.hetronic.com

